



|  |   |  |
|--|---|--|
| <b>CHAMELEON</b> d.o.o.  |   | Datum: 03.07.2009.                       |
| Naziv Projekta: Montažno-Demontažna Alu. Konstrukcija Dart Weider v3m                                  |   | Crtež br. 090703D/1                      |
| Pogled: Kosa projekcija<br>Mere u mm   | Projekat Radio: Milan Đurasinović<br>gandi@chameleon.rs | Odobrio: Ivan Kršev<br>ivan@chameleon.rs |
| Napomena: Svi elementi podležu TUV standardu, kao i DIN 4113-1 i DIN 4113-2                            |   |  |
| 21000 Novi Sad, Stevana Mokranjca 4, Tel: + 381 (0) 21/6 32 11 16 www.chameleon.rs office@chameleon.rs |   |  |



|  |   |  |
|--|---|--|
| <b>CHAMELEON</b> d.o.o.  |   | Datum: 03.07.2009.                       |
| Naziv Projekta: Montažno-Demontažna Alu. Konstrukcija Dart Weider v3m                                  |   | Crtež br. 090703D/2                      |
| Pogled: Front<br>Mere u mm   | Projekat Radio: Milan Đurasinović<br>gandi@chameleon.rs | Odobrio: Ivan Kršev<br>ivan@chameleon.rs |
| Napomena: Svi elementi podležu TUV standardu, kao i DIN 4113-1 i DIN 4113-2                            |   |  |
| 21000 Novi Sad, Stevana Mokranjca 4, Tel: + 381 (0) 21/6 32 11 16 www.chameleon.rs office@chameleon.rs |   |  |



|  |   |  |
|--|---|--|
| <b>CHAMELEON</b> d.o.o.  |   | Datum: 03.07.2009.                       |
| Naziv Projekta: Montažno-Demontažna Alu. Konstrukcija Dart Weider v3m                                  |   | Crtež br. 090703D/3                      |
| Pogled: Sa Strane  | Projekat Radio: Milan Đurasinović<br>gandi@chameleon.rs | Odobrio: Ivan Kršev<br>ivan@chameleon.rs |
| Napomena: Svi elementi podležu TUV standardu, kao i DIN 4113-1 i DIN 4113-2                            |   |  |
| 21000 Novi Sad, Stevana Mokranjca 4, Tel: + 381 (0) 21/6 32 11 16 www.chameleon.rs office@chameleon.rs |   |  |

### Dart Weider vrh 3m - Spisak elemenata

**Sifra**                                  **Kom.**                                  **Naziv**

|                   |   |                |
|-------------------|---|----------------|
| TQ4-29.C45°.4000  | 4 | Krug 4 m - 45° |
| TQ4-29.C90°.3000) | 2 | Krug 3 m - 90° |
| TQ4-29-0790       | 4 | 0790 30L       |
| TQ4-29-21 L       | 4 | L 30L          |
| TQ4-29-2500       | 8 | 2500 30L       |
| TQ4-29-35 T       | 4 | T 30L          |